

CERTIFICATE OF ANALYSIS

Work Order : **ES1622866**
Client : **ORIGIN ENERGY RESOURCES LTD**
Contact : [REDACTED]
Address : **ORIGIN ENERGY RESOURCES LIMITED GPO BOX 148**
BRISBANE QLD, AUSTRALIA 4001
Telephone : [REDACTED]
Project : **BEETALOO MONITORING**
Order number : **162531417**
C-O-C number : **ALS001_JF_20161011**
Sampler : **----**
Site : **BEETALOO**
Quote number : **----**
No. of samples received : **3**
No. of samples analysed : **3**

Page : 1 of 8
Laboratory : Environmental Division Sydney
Contact : [REDACTED]
Address : **277-289 Woodpark Road Smithfield NSW Australia 2164**
Telephone : [REDACTED]
Date Samples Received : 14-Oct-2016 09:35
Date Analysis Commenced : 14-Oct-2016
Issue Date : 25-Oct-2016 11:34



Accreditation No. 825
 Accredited for compliance with
 ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Accreditation Category</i>
[REDACTED]	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
[REDACTED]	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
[REDACTED]	Organic Coordinator	Sydney Organics, Smithfield, NSW
[REDACTED]	Senior Organic Chemist	Sydney Organics, Smithfield, NSW
[REDACTED]	Lab technician	Sydney Inorganics, Smithfield, NSW
[REDACTED]	Metals Teamleader	Radionuclides, Fyshwick, ACT
[REDACTED]	Inorganics Coordinator	Sydney Inorganics, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key : CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
LOR = Limit of reporting
^ = This result is computed from individual analyte detections at or above the level of reporting
ø = ALS is not NATA accredited for these tests.
~ = Indicates an estimated value.

- EG035: Poor matrix spike recovery was obtained for Mercury on sample ES1622866# 1 due to high matrix interference. Confirmed by re-analysis.
- Gross Alpha and Beta Activity analyses are performed by ALS Fyshwick (NATA Accreditation number 992).
- EG020/ED093: LOR's have been raised due to matrix interference. (High Total Dissolved Solids)
- TDS by method EA-015 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- MBAS is calculated as LAS, molecular weight 342
- EA016: Calculated TDS is determined from Electrical conductivity using a conversion factor of 0.65.
- EA250 LSC : LOR for Gross Alpha and Beta raised due to high solid content
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a,h)anthracene (1.0), Benzo(g,h,i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BET-PW001_Fe_9	BET-PW001_Fe_9.4	BET-PW001_Fe_10.6	----	----
Client sampling date / time				29-Sep-2016 12:00	05-Oct-2016 12:00	07-Oct-2016 12:00	----	----	
Compound	CAS Number	LOR	Unit	ES1622866-001	ES1622866-002	ES1622866-003	-----	-----	
				Result	Result	Result	---	---	
EA005P: pH by PC Titrator									
pH Value	----	0.01	pH Unit	6.54	6.74	6.63	----	----	
EA010P: Conductivity by PC Titrator									
Electrical Conductivity @ 25°C	----	1	µS/cm	40600	39000	44100	----	----	
EA015: Total Dissolved Solids dried at 180 ± 5 °C									
Total Dissolved Solids @180°C	----	10	mg/L	33600	30400	32300	----	----	
EA016: Calculated TDS (from Electrical Conductivity)									
Total Dissolved Solids (Calc.)	----	1	mg/L	26400	25400	28700	----	----	
EA065: Total Hardness as CaCO3									
Total Hardness as CaCO3	----	1	mg/L	2740	2480	3130	----	----	
EA250: Gross Alpha and Beta Activity									
Gross alpha	----	0.05	Bq/L	<0.62	----	2.43	----	----	
Gross beta activity - 40K	----	0.1	Bq/L	<1.25	----	5.99	----	----	
ED037P: Alkalinity by PC Titrator									
Hydroxide Alkalinity as CaCO3	DMO-210-001	1	mg/L	<1	<1	<1	----	----	
Carbonate Alkalinity as CaCO3	3812-32-6	1	mg/L	<1	<1	<1	----	----	
Bicarbonate Alkalinity as CaCO3	71-52-3	1	mg/L	474	716	540	----	----	
Total Alkalinity as CaCO3	----	1	mg/L	474	716	540	----	----	
ED041G: Sulfate (Turbidimetric) as SO4 2- by DA									
Sulfate as SO4 - Turbidimetric	14808-79-8	1	mg/L	20	17	42	----	----	
ED045G: Chloride by Discrete Analyser									
Chloride	16887-00-6	1	mg/L	14100	13600	15300	----	----	
ED093F: Dissolved Major Cations									
Calcium	7440-70-2	1	mg/L	853	774	980	----	----	
Magnesium	7439-95-4	1	mg/L	147	133	165	----	----	
Sodium	7440-23-5	1	mg/L	9370	9080	10100	----	----	
Potassium	7440-09-7	1	mg/L	55	58	60	----	----	
EG020F: Dissolved Metals by ICP-MS									
Arsenic	7440-38-2	0.001	mg/L	0.084	0.011	<0.010	----	----	
Boron	7440-42-8	0.05	mg/L	50.9	54.5	49.4	----	----	
Barium	7440-39-3	0.001	mg/L	35.6	30.5	42.0	----	----	
Beryllium	7440-41-7	0.001	mg/L	<0.010	<0.010	<0.010	----	----	
Cadmium	7440-43-9	0.0001	mg/L	<0.0010	<0.0010	<0.0010	----	----	
Cobalt	7440-48-4	0.001	mg/L	0.011	<0.010	<0.010	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BET-PW001_Fe_9	BET-PW001_Fe_9.4	BET-PW001_Fe_10.6	----	----
Client sampling date / time				29-Sep-2016 12:00	05-Oct-2016 12:00	07-Oct-2016 12:00	----	----	
Compound	CAS Number	LOR	Unit	ES1622866-001	ES1622866-002	ES1622866-003	-----	-----	
				Result	Result	Result	---	---	
EG020F: Dissolved Metals by ICP-MS - Continued									
Chromium	7440-47-3	0.001	mg/L	0.035	0.048	0.034	----	----	
Copper	7440-50-8	0.001	mg/L	<0.010	<0.010	<0.010	----	----	
Manganese	7439-96-5	0.001	mg/L	1.82	1.95	1.80	----	----	
Nickel	7440-02-0	0.001	mg/L	0.040	0.012	0.010	----	----	
Lead	7439-92-1	0.001	mg/L	<0.010	<0.010	<0.010	----	----	
Selenium	7782-49-2	0.01	mg/L	<0.10	<0.10	<0.10	----	----	
Vanadium	7440-62-2	0.01	mg/L	<0.10	<0.10	<0.10	----	----	
Zinc	7440-66-6	0.005	mg/L	<0.050	<0.050	<0.050	----	----	
EG035F: Dissolved Mercury by FIMS									
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001	----	----	
EK040P: Fluoride by PC Titrator									
Fluoride	16984-48-8	0.1	mg/L	1.2	1.2	1.1	----	----	
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser									
Nitrite + Nitrate as N	----	0.01	mg/L	0.04	0.26	0.17	----	----	
EK061G: Total Kjeldahl Nitrogen By Discrete Analyser									
Total Kjeldahl Nitrogen as N	----	0.1	mg/L	52.2	51.6	50.6	----	----	
EK062G: Total Nitrogen as N (TKN + NOx) by Discrete Analyser									
^ Total Nitrogen as N	----	0.1	mg/L	52.2	51.9	50.8	----	----	
EK067G: Total Phosphorus as P by Discrete Analyser									
Total Phosphorus as P	----	0.01	mg/L	0.41	1.07	0.47	----	----	
EN055: Ionic Balance									
Total Anions	----	0.01	meq/L	408	398	443	----	----	
Total Cations	----	0.01	meq/L	464	446	503	----	----	
Ionic Balance	----	0.01	%	6.43	5.65	6.35	----	----	
EP033: C1 - C4 Hydrocarbon Gases									
Methane	74-82-8	1	µg/L	1200	6290	5390	----	----	
Ethene	74-85-1	1	µg/L	<1	<1	<1	----	----	
Ethane	74-84-0	1	µg/L	169	814	544	----	----	
Propene	115-07-1	1	µg/L	<1	<1	<1	----	----	
Propane	74-98-6	1	µg/L	1	29	16	----	----	
Butene	25167-67-3	1	µg/L	<1	<1	<1	----	----	
Butane	106-97-8	1	µg/L	<1	<1	<1	----	----	
EP041A: Nonionic Surfactants									
Nonionic Surfactants as CTAS	----	5	mg/L	<5	<5	<5	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BET-PW001_Fe_9	BET-PW001_Fe_9.4	BET-PW001_Fe_10.6	----	----
Client sampling date / time					29-Sep-2016 12:00	05-Oct-2016 12:00	07-Oct-2016 12:00	----	----
Compound	CAS Number	LOR	Unit	ES1622866-001	ES1622866-002	ES1622866-003	-----	-----	
				Result	Result	Result	---	---	
EP050: Anionic Surfactants as MBAS									
Anionic Surfactants as MBAS	----	0.1	mg/L	<0.1	<0.1	<0.1	----	----	
EP075(SIM)A: Phenolic Compounds									
Phenol	108-95-2	1	µg/L	1.5	<1.0	<1.0	----	----	
2-Chlorophenol	95-57-8	1	µg/L	<1.0	<1.0	<1.0	----	----	
2-Methylphenol	95-48-7	1	µg/L	<1.0	<1.0	<1.0	----	----	
3- & 4-Methylphenol	1319-77-3	2	µg/L	<2.0	<2.0	<2.0	----	----	
2-Nitrophenol	88-75-5	1	µg/L	<1.0	<1.0	<1.0	----	----	
2,4-Dimethylphenol	105-67-9	1	µg/L	<1.0	<1.0	<1.0	----	----	
2,4-Dichlorophenol	120-83-2	1	µg/L	<1.0	<1.0	<1.0	----	----	
2,6-Dichlorophenol	87-65-0	1	µg/L	<1.0	<1.0	<1.0	----	----	
4-Chloro-3-methylphenol	59-50-7	1	µg/L	<1.0	<1.0	<1.0	----	----	
2,4,6-Trichlorophenol	88-06-2	1	µg/L	<1.0	<1.0	<1.0	----	----	
2,4,5-Trichlorophenol	95-95-4	1	µg/L	<1.0	<1.0	<1.0	----	----	
Pentachlorophenol	87-86-5	2	µg/L	<2.0	<2.0	<2.0	----	----	
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons									
Naphthalene	91-20-3	1	µg/L	<1.0	<1.0	<1.0	----	----	
Acenaphthylene	208-96-8	1	µg/L	<1.0	<1.0	<1.0	----	----	
Acenaphthene	83-32-9	1	µg/L	<1.0	<1.0	<1.0	----	----	
Fluorene	86-73-7	1	µg/L	<1.0	<1.0	<1.0	----	----	
Phenanthrene	85-01-8	1	µg/L	<1.0	<1.0	<1.0	----	----	
Anthracene	120-12-7	1	µg/L	<1.0	<1.0	<1.0	----	----	
Fluoranthene	206-44-0	1	µg/L	<1.0	<1.0	<1.0	----	----	
Pyrene	129-00-0	1	µg/L	<1.0	<1.0	<1.0	----	----	
Benz(a)anthracene	56-55-3	1	µg/L	<1.0	<1.0	<1.0	----	----	
Chrysene	218-01-9	1	µg/L	<1.0	<1.0	<1.0	----	----	
Benzo(b+)fluoranthene	205-99-2 205-82-3	1	µg/L	<1.0	<1.0	<1.0	----	----	
Benzo(k)fluoranthene	207-08-9	1	µg/L	<1.0	<1.0	<1.0	----	----	
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	<0.5	<0.5	----	----	
Indeno(1.2.3.cd)pyrene	193-39-5	1	µg/L	<1.0	<1.0	<1.0	----	----	
Dibenz(a.h)anthracene	53-70-3	1	µg/L	<1.0	<1.0	<1.0	----	----	
Benzo(g.h.i)perylene	191-24-2	1	µg/L	<1.0	<1.0	<1.0	----	----	
^ Sum of polycyclic aromatic hydrocarbons	----	0.5	µg/L	<0.5	<0.5	<0.5	----	----	
^ Benzo(a)pyrene TEQ (zero)	----	0.5	µg/L	<0.5	<0.5	<0.5	----	----	
EP080/071: Total Petroleum Hydrocarbons									



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BET-PW001_Fe_9	BET-PW001_Fe_9.4	BET-PW001_Fe_10.6	----	----
Client sampling date / time				29-Sep-2016 12:00	05-Oct-2016 12:00	07-Oct-2016 12:00	----	----	
Compound	CAS Number	LOR	Unit	ES1622866-001	ES1622866-002	ES1622866-003	-----	-----	
				Result	Result	Result	---	---	
EP080/071: Total Petroleum Hydrocarbons - Continued									
C6 - C9 Fraction	----	20	µg/L	50	100	50	----	----	
C10 - C14 Fraction	----	50	µg/L	110	90	180	----	----	
C15 - C28 Fraction	----	100	µg/L	430	3070	240	----	----	
C29 - C36 Fraction	----	50	µg/L	120	1720	60	----	----	
^ C10 - C36 Fraction (sum)	----	50	µg/L	660	4880	480	----	----	
EP080/071: Total Recoverable Hydrocarbons - NEPM 2013 Fractions									
C6 - C10 Fraction	C6_C10	20	µg/L	60	100	50	----	----	
^ C6 - C10 Fraction minus BTEX (F1)	C6_C10-BTEX	20	µg/L	50	80	40	----	----	
>C10 - C16 Fraction	----	100	µg/L	120	130	190	----	----	
>C16 - C34 Fraction	----	100	µg/L	490	4160	260	----	----	
>C34 - C40 Fraction	----	100	µg/L	<100	650	<100	----	----	
^ >C10 - C40 Fraction (sum)	----	100	µg/L	610	4940	450	----	----	
^ >C10 - C16 Fraction minus Naphthalene (F2)	----	100	µg/L	120	130	190	----	----	
EP080: BTEXN									
Benzene	71-43-2	1	µg/L	4	7	3	----	----	
Toluene	108-88-3	2	µg/L	3	6	3	----	----	
Ethylbenzene	100-41-4	2	µg/L	<2	<2	<2	----	----	
meta- & para-Xylene	108-38-3 106-42-3	2	µg/L	2	2	<2	----	----	
ortho-Xylene	95-47-6	2	µg/L	<2	<2	<2	----	----	
^ Total Xylenes	1330-20-7	2	µg/L	2	2	<2	----	----	
^ Sum of BTEX	----	1	µg/L	9	15	6	----	----	
Naphthalene	91-20-3	5	µg/L	<5	<5	<5	----	----	
EP075(SIM)S: Phenolic Compound Surrogates									
Phenol-d6	13127-88-3	1	%	19.5	16.2	17.0	----	----	
2-Chlorophenol-D4	93951-73-6	1	%	39.8	39.9	38.3	----	----	
2,4,6-Tribromophenol	118-79-6	1	%	72.4	89.1	77.9	----	----	
EP075(SIM)T: PAH Surrogates									
2-Fluorobiphenyl	321-60-8	1	%	60.6	71.9	72.8	----	----	
Anthracene-d10	1719-06-8	1	%	57.4	69.8	63.6	----	----	
4-Terphenyl-d14	1718-51-0	1	%	74.4	74.2	76.7	----	----	
EP080S: TPH(V)/BTEX Surrogates									
1,2-Dichloroethane-D4	17060-07-0	2	%	98.6	110	108	----	----	



Analytical Results

Sub-Matrix: WATER (Matrix: WATER)				Client sample ID	BET-PW001_Fe_9	BET-PW001_Fe_9.4	BET-PW001_Fe_10.6	----	----
Client sampling date / time				29-Sep-2016 12:00	05-Oct-2016 12:00	07-Oct-2016 12:00	----	----	
Compound	CAS Number	LOR	Unit	ES1622866-001	ES1622866-002	ES1622866-003	-----	-----	
				Result	Result	Result	—	—	
EP080S: TPH(V)/BTEX Surrogates - Continued									
Toluene-D8	2037-26-5	2	%	113	113	107	----	----	
4-Bromofluorobenzene	460-00-4	2	%	118	110	107	----	----	



Surrogate Control Limits

Sub-Matrix: WATER		Recovery Limits (%)	
Compound	CAS Number	Low	High
EP075(SIM)S: Phenolic Compound Surrogates			
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2,4,6-Tribromophenol	118-79-6	17	125
EP075(SIM)T: PAH Surrogates			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112
EP080S: TPH(V)/BTEX Surrogates			
1,2-Dichloroethane-D4	17060-07-0	71	137
Toluene-D8	2037-26-5	79	131
4-Bromofluorobenzene	460-00-4	70	128