Material Safety Data Sheet



M275

1. Identification of the material and supplier

Names

Product name : M275
Product code : M275

ADG : Corrosive solid, acidic, organic, n.o.s. (isothiazolones)

Supplier : Baker Hughes, Australia

5 Walker Street, Braeside, Victoria 3195, Australia

Tel: +613 9580 9004 Fax: +613 9580 6004

Emergency telephone

number

: CHEMTREC Emergency Telephone Numbers (Australasia Geomarket):

- USA: +(1) 703-527-3887 (CHEMTREC International 24 hour)

Uses

Material uses : Biocide

2. Hazards identification

Classification : Xn; R20/21/22

C; R34 R43 N; R51/53

Risk phrases : R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

R34- Causes burns.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S25- Avoid contact with eyes.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible). S51- Use only in well-ventilated areas.

S57- Use appropriate containment to avoid environmental contamination.

S61- Avoid release to the environment. Refer to special instructions/safety data

sheet.

Statement of hazardous/dangerous

nature

: HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

3. Composition/information on ingredients

Ingredient name CAS number Concentration reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (3:1)

Other ingredients, determined not to be hazardous according to Safe Work Australia criteria, and not dangerous according to the ADG Code, make up the product concentration to 100%.

Version: 1.01 Page: 1/7

3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4. First-aid measures

Inhalation

Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Ingestion

Get medical attention immediately. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Skin contact

Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye contact

Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

Protection of first-aiders

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

Advice to doctor

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5. Fire-fighting measures

Suitable

: Use dry chemical powder.

Not suitable

: Do not use water jet.

Special exposure hazards

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Hazchem code : 2X

Version: 1.01 Page: 2/7

Accidental release measures

Personal precautions

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

Small spill

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.

Large spill

: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Avoid creating dusty conditions and prevent wind dispersal. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Storage

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits

: No exposure standard allocated.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Engineering measures

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Use explosion-proof ventilation equipment.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eyes

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If operating conditions cause high dust concentrations to be produced, use dust goggles.

Hands

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Respiratory

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Version: 1.01 Page: 3/7

8. Exposure controls/personal protection

Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state : Solid. [Powder.]
Colour : Tan. / Red.
Odour : Faint odour.

Relative density : 0.714 to 0.726 (16°C)

Flash point : Closed cup: >93°C (>199.4°F)

Solubility: Miscible with water.

10. Stability and reactivity

Chemical stability

reactions

Possibility of hazardous

: The product is stable.

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by earthing and bonding containers and equipment before transferring material. Prevent dust accumulation. Avoid release to the environment. Refer to special instructions/safety data sheet.

Materials to avoid

: Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

11 . Toxicological information

Potential acute health effects

Inhalation : Harmfu

: Harmful by inhalation. May give off gas, vapor or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause

a health hazard. Serious effects may be delayed following exposure.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

Skin contact : Corrosive to the skin. Causes burns. Harmful in contact with skin. May cause

sensitisation by skin contact.

Eye contact: Corrosive to eyes. Causes burns.

Acute toxicity

Product/ingredient name Result Species Dose Exposure

reaction mass of: 5-chloro-2- LD50 Oral Rat 53 mg/kg methyl-4-isothiazolin-3-one IEC no 247-500-71 and 2-

[EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Conclusion/Summary : Not available.

Potential chronic health effects

Chronic toxicity

Conclusion/Summary: Not available.

Irritation/Corrosion

Conclusion/Summary: Not available.

Sensitiser

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Mutagenicity

Version: 1.01 Page: 4/7

11. Toxicological information

Conclusion/Summary

Not available.

Teratogenicity

Conclusion/Summary

Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

Chronic effects

Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed

: No known significant effects or critical hazards. Carcinogenicity Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards. Inhalation

: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Ingestion : Adverse symptoms may include the following: stomach pains Irritation to digestive

Skin : Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

Adverse symptoms may include the following: **Eyes**

> pain watering redness

Target organs : Contains material which may cause damage to the following organs: upper

respiratory tract, skin, eyes.

12. Ecological information

Ecotoxicity Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Aquatic ecotoxicity

Conclusion/Summary : Not available.

Other ecological information Persistence/degradability

Conclusion/Summary Not available.

Other adverse effects : No known significant effects or critical hazards.

Disposal considerations

Methods of disposal

: This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

14. Transport information

Regulation	UN number	Proper shipping name	Classes	PG*	Label	Additional information

Version: 1.01 Page: 5/7

M275

14. Transport information

ADG	UN3261	Corrosive solid, acidic, organic, n.o.s. (isothiazolones)	8	II	CORROSIVE	Hazchem code 2X
ADR	UN3261	Corrosive solid, acidic, organic, n.o.s. (isothiazolones)	8	II	¥2	UK Hazchem: 2X
IMDG	UN3261	Corrosive solid, acidic, organic, n.o.s. (isothiazolones)	8	II	¥_2	-
IATA	UN3261	Corrosive solid, acidic, organic, n.o.s. (isothiazolones)	8	II	¥2	-

PG* : Packing group

15. Regulatory information

Standard for the Uniform Scheduling of Drugs and Poisons

Not regulated.

Control of Scheduled Carcinogenic Substances

Ingredient name Schedule

No listed substance

Australia inventory (AICS) : All components are listed or exempted.

EU Classification : Xn; R20/21/22

C; R34 R43 N; R51/53

Risk phrases : R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

R34- Causes burns.

R43- May cause sensitisation by skin contact.

R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

Safety phrases : S25- Avoid contact with eyes.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

S51- Use only in well-ventilated areas.

S57- Use appropriate containment to avoid environmental contamination.

S61- Avoid release to the environment. Refer to special instructions/safety data

sheet.

Version: 1.01 Page: 6/7

15. Regulatory information

National regulations

National Code of Practice for the Control of Workplace Hazardous Substances. National Code of Practice for the Labelling of Workplace Substances. National Code of Practice for the Preparation of Material Safety Data Sheets. Approved Criteria for Classifying Hazardous Substances.

16. Other information

Date of printing : 17 October 2012.

Date of issue/ Date of : 17 October 2012

revision

Date of previous issue : 16 October 2012

Version : 1.01

▼ Indicates information that has changed from previously issued version.

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version: 1.01 Page: 7/7